

9400091

THE UNKLED SLAVIES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Pioneer Gi-Gred International, Inc.

Withereas. There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, therefore, this certificate of plant variety protection is to grant unto the said applicant(s) and the successors, heirs or assigns of the said applicant(s) for the term of eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, or importing it, or exporting it, or using it in producing a hybrid or different ariety therefrom, to the extent provided by the Plant Variety Protection Act stat. 1542, as amended, 7 U.S.C. 2321 et seq.)

CORN

'PHAAO'

In Lestimony Mancroot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C.

this 31st day of August in the year of our Lord one thousand nine hundred and ninety-four.

Allest

Kennett HEvan

Commissioner

Plant Variety Protection Office

Agricultural Marketing Service

Socretary of Agriculture

Public reporting burden for this collection of information is estimated to average 36 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Desertment of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, 0.C. 20250. and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

FORM APPROVED: OMB 6581-0055, Expires 1.3.1.9.1.

U.S. DEPARTMENT OF AGRICULTURAL MARK	AGRICULTURE LETING SERVICE				Application is required in order determine it a plant variety protect
APPLICATION FOR PLANT VARIE		TION	CERTIFICA	NTE	cartificate is to be issued if U 3 C 21. Information is noted confidential is cartificate is issued (7 U 3 C 2426)
1. NAME OF APPLICANT(S) (as it is to appear on the Cartificate)	•		Z. TEMPORARY D	ESIGNATION OR	3. VARIETY NAME
PIONEER HI-BRED INTERNATIONAL, INC.	•		CAPERIMENTA	. 1903.	РНААО
4 ADDRESS (street and no. or R.F.D. no., city, state, and ZIP)			5 PHONE (includ	a erea codel	FOR OFFICIAL, USE ONLY
Research and Product Development Di	lvision		515/270		PVPO NUMBER
P. O. Box 85			313/2/	7-3300	0400001
Johnston, IA 50131-0085					9400091
	•				Feb. 07, 1994
6. GENUS AND SPECIES NAME	.7. FAMILY NAM		:a/)		Time
Zea Mays	Gramin	neae			6 11:03 PAM OF
8 CROP KIND NAME (Common Name)			DATE OF DETERMIN	ATION	F Filing and Examination Fee
		- 1	Februar	cy 4, 1991	[1.d., 325, 20
COTIL 10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORG	ANTA TION (Garage				7 1 2 122
	AMERICA (Corpor	ener, per	· ·	, u. c.,	1 1994 Saturate Fee
Corporation					275 00
11. IF INCORPORATED, GIVE STATE OF INCORPORATION		12. 04	TE OF INCORPORA	TON	V Date
Iowa		M	ay 6, 1926		5 9trua. 1. 1994
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, T	O SERVE IN THIS A			L PAPERS	7)
Dr. Bruce D. McBratney			.*		
Research and Product Development D					
Pioneer Hi-Bred International, Inc					515/270-3546
P.O. Box 85, Johnston, IA 50131-00				E (Implude area coo	lek:
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (F	ollow INSTRUCTION	S on rever	(30)		
a. Sibilità R. Abrusto Channess					
b. Echibit 8, Novelty Statement.					
c. X: Exhibit C, Objective Description of Variety. d. X: Exhibit D, Additional Description of Variety.					
Exhibit E, Statement of the Besis of Applicant's Owner					
Seed Sample (2,500 viable untracted seeds). Date See		to Plant \	Variety Protection (Office 1-31	94
g. Filing and Examination Fee (\$2,150) made payable to	"Treasurer of the	United Si	lates."	-	-
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE			Y AS A CLASS OF C	ERTIFIED SEED? (S	se section 83(a) of the Plant Variety
Protection Act.) YES (If "YES," annual Home 16 and 17	description [2]	MD # "A	IQ." skip to item 18 i	belew)	
16. DOES THE APPLICANTIS) SPECIFY THAT THIS VARIETY BE LIMITED A NUMBER OF GENERATIONS?	STO 17. II	P "YES" T	O ITEM 16, WHICH C	LASSES OF PRODU	ICTION BEYOND BREEDER SEED?
☐ ves ☐ NO	1 ·	☐ rox	PERATION	REGRE	TERED CERTIFIED
18. DID THE APPLICANTIST PREVIOUSLY PILE FOR PROTECTION OF THE	VARIATIV IN THE ILE				
is the resemble resident resembles of the	V-2002 V 100 PE U.3	L.r			
YES (If "YES," (hrough Plant Variety Protection Act	Patent Act.	. Give da	te:		
🔀 но					
19 HAS THE VARIETY SEEN RELEASED, USED, OFFERED FOR SALE, OR	MARKETED IN THE	U.S. OR	OTHER COUNTRIES	,	
YES (If "YES," give names of countries and detent					•
X NO					
20. The applicant(s) declare(s) that a viable sample of basis		icty wil	l be formished w	th the applicati	ion and will be replenished upon
request in accordance with such regulations as may be up	•				many after after monthly on the street
The undersigned applicant(s) is (are) the owner(s) of th uniform, and stable as required in section 41, and is entir	m sexually repr	venned Marker I	novel plant var he provisione of	icty, and believ rection 42 of the	Was that the variety is distinct, Plant Variety Protection Act.
Applicant(s) is (are) informed that false representation h					
SIGNATURE OF APPLICANT (Ownerfall		ACITY OR	•		LOATE
	CAP	-GIT ON	*******		Jun 18
PIONEER HI-BRED INTERNATIONAL, INC	1			-	Ī
SIGNATURE OF APPLICANT (Owner(s))	CAP	ACITY OR	TITLE		DATE
	1		cal Suppor	t Coord.	January 31, 199
Quel D. M. Bratuy	1		***		

14A. Exhibit A. Origin and Breeding History

Pedigree: PHW03/PHJ40)X72242331

Pioneer line PHAAO, Zea mays L., a yellow corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross PHWO3 x PHJ4O using the pedigree method of breeding. The progenitors of PHAAO are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing and selection were practiced within the above F1 cross for 6 generations in the development of PHAAO at Grand Forks, ND. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Grand Forks, ND, as well as other other Pioneer research stations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations made for uniformity.

PHAAO has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed 3 generations with careful attention paid to uniformity of plant type to assure genetic homozygousity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity.

No variant traits have been observed or are expected in PHAAO.

The criteria used in the selection of PHAA0 were yield, both per se and in hybrid combinations; kernel size, especially important in production; ability to germinate in adverse conditions; number of tillers, especially important in production because having numerous tillers increases hybrid production costs spent on detasseling; disease and insect resistance; pollen yield; tassel size; pollen shed duration.

DEVELOPMENTAL HISTORY FOR PAAO

SEASON/YEAR	INBREEDING LEVEL
Summer 1986	F0
Winter 1987	F1
Summer 1987	F2
Winter 1988	F 3
Summer 1988	F4
Summer 1989	F5
Summer 1990	F6
Winter 1991	F7*
Summer 1991	F8
Winter 1992	F9
Summer 1992	F10*

^{*}PHAA0 was selfed and selected through F7 generation.

^{**}PHAA0 was selfed and ear-rowed from F8 through F10 generations.

14B. Exhibit B. Novelty Statement

PHAAO is similar to the Pioneer Hi-Bred International, Inc. proprietary inbred line PHJ40 (PVP Certificate No. 8600133). PHAAO has a slight tendency to develop two ears whereas PHJ40 develops only one ear per stalk. PHAAO has few marginal waves and longitudinal creases compared to PHJ40 which has no marginal waves or longitudinal creases. PHAAO has a tassel branch angle from the central spike of greater than 45 degrees whereas PHJ40 has a tassel branch angle from the central spike of less than 30 degrees. PHAAO has light green fresh husk color whereas PHJ40 has dark green fresh husk color.

PHAA0 has higher yield and grain harvest moisture but lower test weight than PHJ40. PHAA0 has better seedling vigor and higher early stand count than PHJ40. PHAA0 has significantly better brittle stalk resistance than PHJ40.

EXHIBIT NO. C

VARIETY DESCRIPTION INFORMATION

INBRED = PHAA0

Region Best Adapted: Most Regions Type: Dent

A. Maturity: Average across maturity zones. Zone: 0

Heat Unit Shed: Heat Unit Silk: 1210 1220 No. Reps: 19

 $[Max.Temp. (<_86°F.) + Min. Temp (>_50°F.)]*$ HEAT UNITS = -----

If maximum is greater than 86 degrees fahrenheit, then 86 is used and if minimum is less than 50, then 50 is used. Heat units accumulated daily and can not be less than 0.

B. Plant Characteristics:

Plant height (to tassel tip): 196 cm Length of top ear internode: 12 cm

Number of ears per stalk: Slight two ear tendency.

Ear height (to base of top ear): 65 cm

Number of tillers: None Cytoplasm type: Normal

C. Leaf:

Color: (B14) Dark Green

Angle from Stalk: 30 - 60 degrees

Marginal Waves: (WF9) Few Number of Leaves (mature plants): 17 Sheath Pubescence: (W22) Light Longitudinal Creases: (OH56A) Few

Length (Ear node leaf): 69 cm

Width (widest point, ear node leaf): 9 cm

D. Tassel:

Number lateral branches: 3

Branch Angle from central spike: > 45 degrees Pollen Shed: light based on Pollen Yield Test

(69% of experiment means)

Peduncle Length (top leaf to basal branches): 18 cm

Anther Color: Yellow Glume Color: Green

E. Ear (Husked Ear Data Except When Stated Otherwise):

Length: 15 cm Weight: 132 gm

Mid-point Diameter: 24 mm

Silk Color: Yellow

Husk Extension (Harvest stage): Medium (barely covering ear)

Husk Leaf: Short (< 8 cm)
Taper of Ear: Average</pre>

Position of Shank (dry husks): Upright

Kernel Rows: Straight Distinct Number = 14

Husk Color (fresh): Light Green Husk Color (dry): Buff

Husk Color (dry): Buff Shank Length: 16 cm

Shank (No. of internodes): 8

F. Kernel (Dried):

Size (from ear mid-point)

Length: 12 mm Width: 8 mm Thick: 5 mm

Shape Grade (% rounds): 20-40% (29% medium round based on Parent

Test Data)

Pericarp Color: Colorless

Aleurone Color: Homozygous Yellow

Endosperm Color: Yellow

Endosperm Type: Normal Starch Gm Wt/100 Seeds (unsized): 30 gm

G. Cob:

Diameter at mid-point: 24 mm

Strength: Strong

Color: Red

H. Diseases:

Common Rust (P. sorghi): Intermediate Stewart's Wilt (E. stewartii): Resistant Head Smut (S. reiliana): Higly Resistant

Fusarium Ear Mold (F. moniliforme): Higly Resistant Gibberella Ear Rot (G. zeae): Susceptible

I. Insects:

European Corn Borer-1 Leaf Damage (Pre-flowering): Intermediate

The above descriptions are based on a scale of 1-9, 1 being highly susceptible, 9 being highly resistant.

S (Susceptible): Would generally represent a score of 1-3.

I (Intermediate): Would generally represent a score of 4-5.

R (Resistant): Would generally represent a score of 6-7.

H (Highly Resistant): Would generally represent a score of

8-9. Highly resistant does not imply

the inbred is immune.

J. Variety Most Closely Resembling:

Character Inbred

PHJ40 Maturity Usage PHJ40

PHJ40 (PVP Certificate No. 8600133) is a Pioneer Hi-Bred International, Inc. proprietary inbred.

Data for Items B, C, D, E, F, and G is based primarily on a maximum of two reps from Johnston, Iowa grown in 1992, plus description information from the maintaining station.

CLARIFICATION OF DATA IN EXHIBITS C AND D

Please note the data presented in Exhibit C, "Objective Description of Variety," is data collected primarily at Johnston, Iowa plus description information from the maintaining station. The data in Exhibit D, "Additional Description of Variety," is data from comparisons of inbreds or hybrids grown in the same tests in the adapted growing area of PHAAO.

ADDITIONAL DESCRIPTION OF PHAAO. INBRED PER SE YIELD COMPARISON OF PHAAO AND PHJ40 EVALUATED OVER THREE YEARS. EXHIBIT D.

VARIETY #1 - PHAA0 VARIETY #2 - PHJ40

	1		·						ANIEL	7 #	250			#	108 SIG	+ = 58 SIG	# = 18 SIG
YEAR	VAR	BU ACR ABS		MST	TST WT ABS	BAR PLT ABS	SDG VGR ABS	EST CNT ABS	DRP EAR ABS	GDU SHD ABS	GDU SLK ABS	GRN APP ABS	STA GRN ABS	i		BRT STK ABS	
91	1 2 LOCS REPS PROB	73.7 58.1 10 26 .000#		18.0 17.8 12 28 28 .831	58.7 59.0 10 26 .554	95.7 94.3 19 21 21 459	5.8 5.3 4 .731	47.7 45.2 23 34.	99.8 99.8 7 20 .903	1181 1175 1175 20 32 362	1183 1188 1188 20 20	6.7 5.8 5.8 12 101	2 2 2 2 2	i	:	99.6 99.5 2 4	
92	1 2 LOCS REPS PROB	90.8 80.8 12 54 54		20.1 18.6 15 52 52	55.2 58.2 12 51 51	98.5 98.1 8 19 .769	6.4 12 29 005	47.1 45.5 44 104 .023+	99.7 99.8 6 12	1177 1163 36 49 .040+	1196 1187 33 40 40	5.7 5.7 10 10	4.4 4.0 7 15			97.7 2 3 .500	
93	1 2 LOCS REPS PROB	64.8 55.8 13 54 54	-	19.6 18.7 20 59 59	55.9 57.5 14 53 53	94.8 94.3 28 62 .761	5.9 5.6 12 27 309	42.1 42.6 37 114 670	99.7 99.7 7 14	1190 1197 25 40 307	1208 1210 23 36 .832	6.2 6.2 10 10	4.2 4.2 22 7.2 982			97.7 93.7 8 10 .008#	·
TOTAL SUM	1 2 LOCS REPS DIFF PROB	76.3 65.0 35 134 11.2	113 96 35 134 18	19.4 18.4 47 139 0.9	56.4 58.1 36 130 1.7	95.6 94.9 55 102 0.8	6.1 28 28 61 0.6	45.4 44.4 104 252 1.0	99.7 99.8 20 46 0.1	1182 1176 81 121 06	1197 1195 72 96 0.2	64 20 20 20 20 20 20 20 20 20 20 20 20 20	44 04. 42.10 04. 20.11 0.11	97.2 96.8 30 82 0.4	98.4 97.9 8 18 0.5	98.4 95.3 12 17 3.1	

DEFINITIONS

In the description and examples, a number of terms are used herein. In order to provide a clear and consistent understanding of the specification and claims, including the scope to be given such terms, the following definitions are provided:

BAR PLT = BARREN PLANTS. This is the percent of plants per plot that were not barren (lack ears).

BRT STK = BRITTLE STALKS. This is a measure of the stalk breakage near the time of pollination, and is an indication of whether a hybrid or inbred would snap or break near the time of flowering under severe winds. Data are presented as percentage of plants that did not snap.

BU ACR = YIELD (BUSHELS/ACRE). Actual yield of the grain at harvest adjusted to 15.5% moisture. ABS is in absolute terms and % MN is percent of the mean for the experiments in which the hybrid or inbred was grown.

<u>DRP EAR = DROPPED EARS</u>. This is a measure of the number of dropped ears per plot and represents the percentage of plants that did not drop ears prior to harvest.

EAR HT = EAR HEIGHT. The ear height is a measure from the ground to the top developed ear node attachment and is measured in centimeters.

EST CNT = EARLY STAND COUNT. This is a measure of the stand establishment in the spring and represents the number of plants that emerge on a per plot basis for the hybrid or inbred.

GDU SHD = GDU TO SHED. The number of growing degree units (GDUs) or heat units required for an inbred line or hybrid to have approximately 50 percent of the plants shedding pollen and is measured from the time of planting. Growing degree units are calculated by the Barger Method, where the heat units for a 24-hour period are:

The highest maximum temperature used is 86°F and the lowest minimum temperature used is 50°F. For each inbred or hybrid it takes a certain number of GDUs to reach various stages of plant development.

- GDU SLK = GDU TO SILK. The number of growing degree units required for an inbred line or hybrid to have approximately 50 percent of the plants with silk emergence from time of planting. Growing degree units are calculated by the Barger Method as given, in GDU SHD definition.
- GRN APP. = GRAIN APPEARANCE. This is a 1 to 9 rating for the general quality of the shelled grain as it is harvested based on such factors as the color of the harvested grain, any mold on the grain, and any cracked grain. High scores indicate good grain quality and low scores indicate poor grain quality.
- MST = HARVEST MOISTURE. The moisture is the actual
 percentage moisture of the grain at harvest.
- PLT HT = PLANT HEIGHT. This is a measure of the height of the plant from the ground to the tip of the tassel in centimeters.
- RT LDG = ROOT LODGING. Root lodging is the percentage of plants that do not root lodge; plants that lean from the vertical axis at an approximately 30° angle or greater would be counted as root lodged.
- SDG VGR = SEEDLING VIGOR. This is the visual rating (1 to 9) of the amount of vegetative growth after emergence at the seedling stage (approximately five leaves). A higher score indicates better vigor and a low score indicates poorer vigor.
- STA GRN = STAY GREEN. Stay green is the measure of plant health near the time of black layer formation (physiological maturity). A high score indicates better late-season plant health.
- STK LDG = STALK LODGING. This is the percentage of plants that did not stalk lodge (stalk breakage) as measured by either natural lodging or pushing the stalks and determining the percentage of plants that break below the ear.
- TST WT = TEST WEIGHT UNADJUSTED. The measure of weight of the grain in pounds for a given volume (bushel).

14E. EXHIBIT E. Statement of the Basis of Applicant's Ownership

Pioneer Hi-Bred International, Inc., Des Moines, Iowa, is the employer of the plant breeders involved in the development and evaluation of PHAAO. Pioneer Hi-Bred International, Inc. has the sole rights and ownership of PHAAO.